

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|------------------------------|------------------|---------|---------------------|
| S1 | 2 | ((("5612906") or ("6401052"))).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/29 14:20 |
| S2 | 8 | ("4229647" "4573000" "4776698" "5285144" "5438330").PN. OR ("6401052").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 14:21 |
| S3 | 16 | ("20010056333" "20030215030" "2805677" "3364483" "4342517" "4513425" "5187872" "5297063" "5469369" "5781450" "6307365" "6401052" "6433536" "6693423"). PN. OR ("7263453").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 14:22 |
| S4 | 538 | (702/104).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/29 14:23 |
| S5 | 935 | (702/105,106,107,113).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/29 14:29 |
| S6 | 1 | ("20070174015").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/29 15:47 |
| S7 | 187 | (gradient with process\$3) and (ellips \$3) and (normaliz\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 18:18 |

| | | | | | | |
|-----|------|---|------------------------------|----|-----|---------------------|
| S8 | 1 | ("7039896").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/29 18:18 |
| S9 | 3394 | ((angle phase\$1) and distanc\$3) with (measur\$3 and (compensat\$3 correct \$3)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 18:33 |
| S10 | 128 | (fit\$3 with (conic ellips\$3)) and (distance\$1 with (correct\$3 compensat \$3)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 18:34 |
| S11 | 34 | S9 and S10 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 18:34 |
| S12 | 2 | ((("5612906") or ("6401052")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/29 18:34 |
| S13 | 0 | S12 and S11 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 18:34 |
| S14 | 34 | S11 and S9 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 18:34 |
| S15 | 0 | S9 and S12 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 18:34 |
| S16 | 0 | S10 and S12 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 18:34 |

| | | | | | | |
|-----|------|--|------------------------------|----|-----|---------------------|
| S17 | 10 | ("5202842" "5463393" "5485407"). PN. OR ("5612906").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 18:35 |
| S18 | 79 | (huynh with phuong) and "2857" | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:17 |
| S19 | 4 | ("20040084241" "4753308" "6138788" "6876911").PN. OR ("7239972").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:30 |
| S20 | 7989 | (steer\$3 with angle\$1 with sensor\$1) and (automobile\$1 car\$1 vehicle\$1) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:55 |
| S21 | 0 | (fit\$3 with (conic ellips\$3)) and (distance\$1 with (correct\$3 compensat \$3)) and (offset\$1 with value\$1) and (least with squar\$3 with error\$1) and (gradient with process\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:56 |
| S22 | 0 | (linear\$1 with equation\$1) and (distance with measur\$3) and (measur \$3 with offset\$3 with value\$1) and (fitt \$3 with (linear\$3 regress\$3)) and ((compensat\$3 correct\$3 filter\$3) with ((phase\$1 angle\$1) and (amplitud\$3 magnitude\$1)) with error\$1) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:57 |
| S23 | 538 | (702/104).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/29 19:58 |
| S24 | 935 | (702/105,106,107,113).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/29 19:58 |

| | | | | | | |
|-----|------|--|------------------------------|----|-----|---------------------|
| S25 | 3 | S23 and S24 and (distance\$1 with (correct\$3 compensat\$3 measur\$3)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:58 |
| S26 | 9 | ("3600674" "4630228" "5062703" "5068614" "5650728" "5949236" "5994905" "6075628" "6614237"). PN. OR ("7171322").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:58 |
| S27 | 8 | ("4229647" "4573000" "4776698" "5285144" "5438330").PN. OR ("6401052").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:58 |
| S28 | 86 | (steer\$3 with angle\$1 with sensor\$1) and (automobile\$1 car\$1 vehicle\$1) and S9 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:59 |
| S29 | 0 | S28 and S23 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:59 |
| S30 | 0 | S28 and S24 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/29 19:59 |
| S31 | 1550 | (702/104,105,106,107,113).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/01 16:11 |
| S32 | 3598 | ((angle phase\$1) and distanc\$3) with (measur\$3 and (compensat\$3 correct \$3)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/08/01 16:11 |
| S33 | 3598 | ((angle phase\$1) and distanc\$3) with (measur\$3 and (compensat\$3 correct \$3)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/08/01 16:11 |

| | | | | | | |
|-----|------|---|--|----|-----|---------------------|
| S34 | 90 | (steer\$3 with angle\$1 with sensor\$1) and (automobile\$1 car\$1 vehicle\$1) and S33 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/08/01 16:11 |
| S35 | 7141 | (702/94-97,111-113,188-191,104-107). CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | OFF | 2009/07/13 17:19 |
| S36 | 164 | (fit\$3 with (conic ellips\$3)) and (distance\$1 with (correct\$3 compensat \$3)) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/07/13 17:41 |
| S37 | 0 | S35 and S36 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 17:43 |
| S38 | 3932 | ((angle phase\$1) and distanc\$3) with (measur\$3 and (compensat\$3 correct \$3)) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/07/13 17:43 |
| S39 | 49 | S35 and S38 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/07/13 18:06 |
| S40 | 87 | (sensor\$1 near (system\$1 network\$1 node\$1)) and ((angle phase) with error \$1) and compensat\$3 and (linear with system\$1 with equation\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:07 |

| | | | | | | |
|-----|---|--|--|----|----|---------------------|
| S41 | 7 | S40 and S35 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:08 |
| S42 | 7 | (sensor\$1 near (system\$1 network\$1 node\$1)) and ((angle phase) with error \$1) and compensat\$3 and (linear with system\$1 with equation\$1) and ellips \$3 and (magnetic\$3 with fiel\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:08 |
| S43 | 1 | (sensor\$1 near (system\$1 network\$1 node\$1)) and ((angle phase) with error \$1) and compensat\$3 and (linear with system\$1 with equation\$1) and ellips \$3 and (magnetic\$3 with fiel\$1) and (signal\$1 with measur\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:09 |
| S44 | 1 | S43 and S35 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:09 |
| S45 | 1 | ((sensor\$1 near (system\$1 network\$1 node\$1)) and ((angle phase) with error \$1) and compensat\$3 and (linear with system\$1 with equation\$1) and ellips \$3 and (magnetic\$3 with fiel\$1) and (signal\$1 with measur\$4)).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:09 |

| | | | | | | |
|-----|----|--|--|----|----|---------------------|
| S46 | 13 | (sensor\$1 with (system\$1 network\$1 node\$1)) and (linear with equation\$1 with system\$1) and ((fit\$3 with regress \$3) (least with squar\$3)) and (rotat\$3 with magnetic) and (object\$3 with (movement\$1 mov\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:10 |
| S47 | 1 | (sensor\$1 with (system\$1 network\$1 node\$1)) and (linear with equation\$1 with system\$1) and ((fit\$3 with regress \$3) (least with squar\$3)) and (rotat\$3 with magnetic) and (object\$3 with (movement\$1 mov\$3)) and (measur\$3 with signal\$1) and ((sinusoidal cosinusoidal) with signal\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:11 |
| S48 | 1 | S47 and S35 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:12 |
| S49 | 1 | (sensor\$1 with (system\$1 network\$1 node\$1)) and (linear with equation\$1 with system\$1) and ((fit\$3 with regress \$3) (least with squar\$3)) and (rotat\$3 with magnetic) and (object\$3 with (movement\$1 mov\$3)) and (measur\$3 with signal\$1) and ((sinusoidal cosinusoidal) with signal\$1) and (least with square with error\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:12 |

| | | | | | | |
|-----|---|--|--|----|----|---------------------|
| S50 | 1 | S49 and S35 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:13 |
| S51 | 1 | (sensor\$1 with (system\$1 network\$1 node\$1)) and (linear with equation\$1 with system\$1) and ((fit\$3 with regress \$3) (least with squar\$3)) and (rotat\$3 with magnetic) and (object\$3 with (movement\$1 mov\$3)) and (measur\$3 with signal\$1) and ((sinusoidal cosinusoidal) with signal\$1) and (least with square with error\$1) and ((angle phase\$1 amplitude magnitude) with error\$1) and compensat\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:13 |
| S52 | 1 | S51 and S35 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:14 |

| | | | | | | |
|-----|-----|---|--|----|----|---------------------|
| S53 | 1 | ((sensor\$1 with (system\$1 network\$1 node\$1)) and (linear with equation\$1 with system\$1) and ((fit\$3 with regress \$3) (least with squar\$3)) and (rotat\$3 with magnetic) and (object\$3 with (movement\$1 mov\$3)) and (measur\$3 with signal\$1) and ((sinusoidal cosinusoidal) with signal\$1) and (least with square with error\$1) and ((angle phase\$1 amplitude magnitude) with error\$1) and compensat\$3).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:14 |
| S54 | 150 | (magnetic with field) and (object\$1 with mov\$3) and (compensat\$3 with (angle \$1 phase) with error\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:14 |
| S55 | 1 | (magnetic with field) and (object\$1 with mov\$3) and (compensat\$3 with (angle \$1 phase) with error\$1) and ((sinusoidal cosinusoidal) with signal \$1) and (correct with parameter\$1) and (linear with equation with system\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:15 |
| S56 | 2 | S54 and S35 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:15 |

| | | | | | | |
|-----|---|--|--|----|----|---------------------|
| S57 | 1 | (magnetic with field) and (object\$1 with mov\$3) and (compensat\$3 with (angle \$1 phase) with error\$1) and ((sinusoidal cosinusoidal) with signal \$1) and (correct with parameter\$1) and (linear with equation with system\$1) and (sensor\$1 with (system\$1 network \$1 node\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:16 |
| S58 | 1 | S57 and S35 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:16 |
| S59 | 0 | ((magnetic with field) and (object\$1 with mov\$3) and (compensat\$3 with (angle\$1 phase) with error\$1) and ((sinusoidal cosinusoidal) with signal \$1) and (correct with parameter\$1) and (linear with equation with system\$1) and (sensor\$1 with (system\$1 network \$1 node\$1))).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/07/13 18:16 |

7/13/2009 6:18:36 PM
C:\Documents and Settings\phuynh1\My Documents\EAST\Workspaces\10587536.wsp